

## AMSAFE<sup>®</sup> SEATBELT AIRBAGS APPROVED TYPE DESIGN & STC - GENERAL AVIATION INSTALLATIONS

AIR TRACTOR AIR TRACTOR / AMSAFE SERVICE CENTERS	SEAT POSITIONS APPROVED FOR INSTALLATION	RESTRAINT TYPE	FAA AML STC SA02276AK EASA AML STC 10031010
<b>AT</b> SERIES – 300,400, 401 402, 500,502, 503,504,602,802	PILOT & TANDEM SEATS	5-POINT	
AMERICAN LEGEND AIRCRAFT – AMSAFE SERVICE CENTERS	SEAT POSITIONS APPROVED FOR INSTALLATION	RESTRAINT TYPE	LSA APPROVAL
LEGEND CUB ALC3-100	PILOT/CO-PILOT - OPTION	4-POINT	AMSAFE/ AMERICAN
AVIAT AIRCRAFT COMPANY - AMSAFE SERVICE CENTERS	SEAT POSITIONS APPROVED FOR INSTALLATION	RESTRAINT TYPE	STC APPROVAL SA01701LA
<b>HUSKY</b> A1/A1A/A1B/A1C	PILOT/CO-PILOT OPTION	5-POINT	
CESSNA SINGLE ENGINE - AMSAFE SERVICE CENTERS	SEAT POSITIONS APPROVED FOR INSTALLATION	RESTRAINT TYPE	STC APPROVAL SA01700LA
<b>172</b> 172R, 172S	STD PILOT/CO-PILOT REAR BENCH OPTION	3-POINT	
<b>182</b> 1825, 182T, T182T	STD PILOT/CO-PILOT/REAR BENCH	3-POINT	
<b>206</b> 206H, T206H	STD PILOT/CO-PILOT/MIDDLE SEATS REAR BENCH OPTION	3-POINT	
CESSNA – LEGACY CESSNA SE - AMSAFE SERVICE CENTERS	SEAT POSITIONS APPROVED FOR INSTALLATION	RESTRAINT TYPE	FAA AML STC SA02276AK EASA AML STC 10031010
<b>(PRE 1996) 170</b> 170, 170A,170B	PILOT/CO-PILOT - OPTION REAR SEAT OPTION	2/3-POINT	10051010
(PRE 1996) 172 172, 172A, 172B, 172C, 172D, 172E, 172F, 172G, 172H, 172I, 172K, 172L, 172M, 172N, 172P, 172Q, 172RG, P172D, R172K	PILOT/CO-PILOT - OPTION REAR SEAT OPTION	2/3-POINT	
(PRE 1996) 175/180/185 - 175, 175A,175B, 175C - 180, 180A, 180B, 180C, 180D, 180E, 180F, 180G, 180H, 180J, 180K - 185, 185A, 185B, 185C, 185D, 185E, A185E, A185F	PILOT/CO-PILOT - OPTION REAR SEAT OPTION	2/3-POINT	
<b>(PRE 1996) 177</b> 177, 177A, 177B, 177RG	PILOT/CO-PILOT - OPTION REAR SEAT OPTION	2/3-POINT	
(PRE 1996) 182 182, 182A, 182B, 182C, 182D, 182E, 182F, 182G, 182H, 182J, 182K, 182L, 182M, 182N, 182P, 182Q, 182R, R182, T182, TR182	PILOT/CO-PILOT – OPTION REAR SEAT OPTION	2/3-POINT	



## AmSafe<sup>®</sup> Seatbelt Airbags Approved Type Design & STC - General Aviation Installations (Continued)

CESSNA – LEGACY CESSNA SE - AMSAFE SERVICE CENTERS (CONTINUED)	SEAT POSITIONS APPROVED FOR INSTALLATION	RESTRAINT TYPE	FAA AML STC SA02276AK EASA AML STC 10031010
(PRE 1996) 206 206,P206,P206A,P206B,P206C, P206D,P206E,TP206A,TP206B, TP206C,TP206D,TP206E,U206, U206A,U206B,U206C,U206D, U206E,U206F,U206G,TU206A, TU206B,TU206C,TU206D, TU206E,TU206F,TU206G	PILOT/CO-PILOT – OPTION MIDDLE SEAT OPTION REAR SEAT OPTION	2/3-POINT	
(PRE 1996) 210 210, 210A, 210B, 210C, 210D, 210E, 210F, 210G, 210H, 210J, 210K, 210L, 210M, 210N, 210R, T210F, T210G, T210H, T210J, T210K, T210L, T210M, T210N, T210R, P210N, P210R, 210-5 (205), 210-5A (205A)	PILOT/CO-PILOT – OPTION MIDDLE SEAT OPTION REAR SEAT OPTION	2/3-POINT	
CIRRUS DESIGN CORP CIRRUS SERVICE CENTERS	SEAT POSITIONS APPROVED FOR INSTALLATION	RESTRAINT TYPE	APPROVAL
<b>SR20</b> SR20, SR20-GTS	STD PILOT/CO-PILOT NO REAR SEATS OPTION	4-POINT	CIRRUS TYPE DESIGN
<b>SR22</b> SR22, SR GTS, SR TURBO GTS, SR TURBO	STD PILOT/CO-PILOT NO REAR SEATS OPTION	4-POINT	
CUB CRAFTERS CC/AMSAFE SERVICE CENTERS	SEAT POSITIONS APPROVED FOR INSTALLATION	RESTRAINT TYPE	LSA APPROVAL
SPORT CUB	STD PILOT/CO-PILOT	4-POINT	AMSAFE/CUB CRAFTERS
DIAMOND AIRCRAFT DIAMOND/AMSAFE SERVICE CENTERS	SEAT POSITIONS APPROVED FOR INSTALLATION	RESTRAINT TYPE	STC APPROVAL SA01918LA
DA-40 DIAMOND STARS CS, XLS	STD PILOT/CO-PILOT REAR SEAT OPTION	3-POINT	
DA-42 TWIN STAR	STD PILOT/CO-PILOT REAR SEAT OPTION	3-POINT	
FLIGHT DESIGN FD/AMSAFE SERVICE CENTERS	SEAT POSITIONS APPROVED FOR INSTALLATION	RESTRAINT TYPE	LSA APPROVAL
CTLS/MC CTLS/MC	PILOT/CO-PILOT - OPTION	4-POINT	AMSAFE/ FLIGHT
HAWKER-BEECHCRAFT AMSAFE SERVICE CENTERS	SEAT POSITIONS APPROVED FOR INSTALLATION	RESTRAINT TYPE	FAA AML STC SA02276AK EASA AML STC 10031010
<b>BONANZA</b> A36, G36, B36TC	PILOT/CO-PILOT - OPTION	3-POINT (DETACHABLE)	
<b>BARON</b> 58, 58A, G58	PILOT/CO-PILOT - OPTION	3-POINT (DETACHABLE)	



## AMSAFE<sup>®</sup> SEATBELT AIRBAGS APPROVED TYPE DESIGN & STC - GENERAL AVIATION INSTALLATIONS (CONTINUED)

LANCAIR INTERNATIONAL - AMSAFE SERVICE CENTERS	SEAT POSITIONS APPROVED FOR INSTALLATION	RESTRAINT TYPE	APPROVAL (EXPERIMENTAL)
<b>PROPJET</b> IV, IV-P	PILOT/CO-PILOT - OPTION	3-POINT	AMSAFE/LANCAIR
MOONEY AIRCRAFT COMPANY MOONEY/AMSAFE SERVICE CENTERS	SEAT POSITIONS APPROVED FOR INSTALLATION	RESTRAINT TYPE	STC APPROVAL SA01710LA
<b>BRAVO &amp; OVATION SERIES – M20</b> M20K, M20M, M20R, M20S, M20TN	STD PILOT/CO-PILOT REAR SEATS OPTION	3-POINT	
PIPER AIRCRAFT - PIPER SERVICE CENTERS - AMSAFE SERVICE CENTERS	SEAT POSITIONS APPROVED FOR INSTALLATION	RESTRAINT TYPE	FAA AML STC SA02276AK EASA AML STC 10031010
PA-18 PA-18, PA-18S, PA-18"105" (Special), PA-18S "105" (Special), PA-18A, PA-18 "125" (Army L-21A), PA-18S "125", PA- 18AS "125" PA-18 "135" (Army L-21B), PA-18A "135", PA-18S"135", PA-18AS "135", PA-18 "150", PA-18A "150", PA-18S "150", PA-18AS "150", PA-19 (Army L-18C), PA-19S	PILOT/CO-PILOT - OPTION	4-POINT	
<b>PA-24</b> PA-24, PA-24-250,PA-24-260, PA- 24-400 , PA-30, PA-39	PILOT/CO-PILOT - OPTION	2/3-POINT	
PA-28 PA-28-140, PA-28-150, PA-28- 151, PA-28-160, PA-28-161, PA- 28-180, PA-28-181, PA-28-201T, PA-28-235, PA- 28-236, PA-285-160, PA-285-180, PA-28R-180, PA- 28R-201, PA-28R-200, PA-28R-201T, PA-28RT-201, PA- 28RT-201T	PILOT/CO-PILOT - OPTION	2/3-POINT	
<b>PA-32</b> PA-32-260, PA-32-300, PA-32S-300, PA-32R-300, PA-32RT-300, PA-32RT-300T, PA- 32-301FT, PA-32-301XTC, PA-32R- 301(SP), PA-32R-301(HP), PA-32R- 301T, PA-32-301, PA-32-301T	PILOT/CO-PILOT - OPTION	2/3-POINT	
<b>PA-34</b> PA-34-200, PA-34-200T, PA- 34-220T	PILOT/CO-PILOT - OPTION	2/3-POINT	
<b>PA-44</b> PA-44-180, PA-44-180T	PILOT/CO-PILOT - OPTION	2/3-POINT	

NOTE: Aircraft shown are approved for aftermarket retrofit at OEM and/or AmSafe Authorized Service Centers (As shown in the aircraft OEM and Model list above)

Visit <u>www.amsafe.com</u> - General Aviation Page to find the nearest service center to inquire about availability and support.



## AMSAFE<sup>®</sup> SEATBELT AIRBAGS APPROVED TYPE DESIGN & STC - GENERAL AVIATION INSTALLATIONS (CONTINUED)

<b>PA-46</b> PA-46-310P, PA-46-350P, PA-46- 500TP, PA-46R-350T, PA-46- 600TP	PILOT/CO-PILOT - OPTION	3-POINT	FAA AML STC SA02276AK EASA AML STC 10031010
<b>SOCATA</b> TBM 700/800 Series	PILOT/CO-PILOT	4-POINT	FAA AML STC SA02276AK EASA STC

THRUSH Thrush / AMSAFE SERVICE CENTERS	SEAT POSITIONS APPROVED FOR INSTALLATION	RESTRAINT TYPE	FAA AML STC SA02276AK
S2R	PILOT & TANDEM SEATS	5-POINT	
SERIES – S-2R, S2R-734,S2R-T15,S2R-			
T11,S2R-R3S,S2R-R1340			
S2R,S2R-T34, S2R-R1820,S2R-T65, S2R-			
T45,S2R-G6,S2R-G10,S2R-G5,S2R-			
G1,S2RHG-T34,S2R-T660,S2RHG-T65,			
S2R-H80			

SPORTAIR, USA	SEAT POSITIONS APPROVED FOR INSTALLATION	RESTRAINT	LSA APPROVAL
- AMSAFE SERVICE CENTERS		ΤΥΡΕ	
STING SPORT	PILOT/CO-PILOT	4-POINT	AMSAFE/SPORTAIR
TL-2000			

ZENAIR AIRCRAFT COMPANY - AMSAFE SERVICE CENTERS	SEAT POSITIONS APPROVED FOR INSTALLATION	RESTRAINT TYPE	STC APPROVAL
ALARUS	PILOT/CO-PILOT OPTION	3-POINT	SA01629LA
СН 2000			
ALARUS	PILOT/CO-PILOT OPTION	3-POINT	LSA APPROVAL
СН 601			